

SPECIFICATION SHEET

Hand Protection



KOSTO
BUILT STRONG • BÂTI SOLIDE

Cut-Resistant (A6) Gloves High Density Polyethylene Coated With Foam Nitrile Sandy Finish

MKV106

Description

This Kosto work glove is made of high density polyethylene and 18 gauge tungsten that fits to the hand with added dexterity. It offers ANSI Level A6 cut protection, Level 6 abrasion resistance and Level 4 puncture resistance. It features a sandblasted finish nitrile foam coated palm and fingers that provide excellent grip in a slightly oily environment. Its elastic wrist prevents debris from entering the glove. The breathable material on the back provides additional comfort. This work glove is compatible with touch screens.

Materiel

- 18 gauge high density polyethylene and tungsten - 3600g of cut protection
- Palm and fingers coated with nitrile foam with a sandblasted finish

Size

XS to 3XL

Certification

ANSI/ISEA 105-2016 certified
Cut resistance **Level A6 -3600g**.
Puncture resistance **Level 4**
Abrasion resistance **Level 6**

Compatible with touch
screens



Foam nitrile coated
palm with a sanded
finish provides a
solid grip

Open back to keep the
hand cool by releasing
perspiration

18 gauge knit that fits
comfortably to the hand
with increased dexterity

Elastic at wrist to keep
debris out



PROTECTION • RELIABILITY • QUALITY

WWW.SPI.COM

SPECIFICATION SHEET

Hand Protection



KOSTO
BUILT STRONG • BÂTI SOLIDE

Related Products

Cut resistant gloves
MKV349
Cut resistance Level A5



Cut resistant gloves
MKVA05
Cut resistance Level A6
ISEA 138 level 1 impact



Cut resistant gloves
MKGV25
Cut resistance Level A5



Care and washing instructions


A good way to keep gloves longer is to clean them regularly.

- Low heat wash and tumble dry
- The glove can be washed several times without losing its properties



Sizing Chart

MKV106



Size Kosto *			XS	S	M	L	XL	2XL	3XL
1	Width (hand)	cm	8.2	8.7	9.2	9.7	10.2	10.5	10.8
		po / in	3.2	3.4	3.6	3.8	4	4.1	4.25
2	Length (glove)	cm	21.6	22.6	23.6	24.6	25.6	26.6	27.6
		po / in	8.5	8.7	9	9.4	9.8	10.2	10.8

* The measurements are those of the product.

* A fitting is always recommended.